STANDARD OPERATING PROCEDURES

DIVISION OF COMPARATIVE MEDICINE UNIVERSITY OF SOUTH FLORIDA

SOP#: 456 Date Issued: 10/20 Date Revised: NEW Page 1 of 2

TITLE: Naked Mole Rat (Heterocephalus glaber) Breeding and Colony

Management

SCOPE: Animal Care Personnel

RESPONSIBILITY: Facility Manager, Technical Staff, Veterinary Staff **PURPOSE:** To Outline the Proper Procedures for Breeding Colony

Management of Heterocephalus glaber

I. PURPOSE

1. To ensure the highest quality of animal health and preclude the development of spontaneous diseases or disorders, which could compromise the integrity of studies and the interpretation of results.

- 2. To ensure personnel breeding USDA covered naked mole rats perform their duties in a manner that complies with all current governing laws, regulations and guidelines.
- II. R1.The Veterinarians oversee all aspects of animalalth andare assisted by all program staff.
 - 2. Facility Managers ensure implementation of alboedures.

III. GENERAL CHARACTERISTICS

- 1. NMR's are hairless rats with small hairs arranged across the body. They have a poor ability to regulate temperature, poor vision and have very large incisors used to digging which may need to be trimmed occasionally.
- 2. Their systems include toilet, breeding and food compartments.
- NMR's are eusocial, like to live in colonies, and must not be separated from their colony
 groups or combined with other colonies, as they will become extremely aggressive. They
 are extremely sensitive to changes in the environment such as housing, smell,
 vibration and noise.
 - a. Each colony is composed of 1 queen female and 1-3 dedicated males for breeding.
 - b. The average gestation period is between 70d
 - 1. NMR can give birth 2-4x per year
 - 2. Average litter size is 7-13 pups

SOP # Naked Mole Rat Breeding /Colony Management Effective Page 2 of 2

IV. PROCEDURES

- 1. Pre-partum (prior to birth)
 - a. Mark the cage of a pregnant female.
 - b. Cages should be kept clean by cages changes shortly before expected delivery date to avoid cleaning during the period after birth as described below.