





!"#\$%&' ()
*" +,!"#\$%&' ()





! "\$%&'



! "#\$%&' (\$*#)*+, - ""* .+,/&)\$0.)%"& - ""* .+,/&)\$0.)%"& 1&" 234+4,5' ,6%#4+\$%

Z% T.TX(x

!= (X.
!= %T. &X(
v#; 4%B=
?. 4. #; .
?"%B. #
*.' TA.
*). 6
*)(T(4(
8= . #; . #%
8=" #.
8"+=" "
3" #; .
3BX. #.
r(#).
Y="B.

S(4<" " (

@. 6A.

S.' C(4(C% (

•4T. #% M

•4T. #% # %' %&^1y&%+6&

•#; "4. M

q"&+6; 6(B(o(' ,9%#).

•&' (#% M

•&' (#% # , - . /,0- 12345 o.&%; . 46B+

o(4;%6' M

A series of horizontal bars in grey, green, and orange, arranged in a pattern that suggests a data visualization or a sequence of states. The bars are of varying lengths and are positioned at regular intervals, creating a rhythmic visual structure.

!"#\$%&' ()\$*#)^*+, - ""*.+./&)\$0.)%"& - ""*.+./&)\$0.)%"& 1&"234+4,5',6%#4+\$%

!6&.<." M

6+<= S (4C''

q.y%' (#+6

v#:4%B= S (4<' ' (

' ' %&#%<. #,%o(y6T4%< M

8y. #B= o%(#9(#%).

8y. #B= o%(#9(#%)"

v&#&(&.) M

3% &#A.

3% &(&

•&. T% Ž•,, •' 'ahlaan bik

U%#4. #) M

U%#B= 3(&9(+64".

8X()B= rE4C'' ' (#

5&(((& M

5&((C »¼½¾¿,ÀÁÂÃÄÅ

-B&. (4 M

2(T&(X «-ÆÇ!©-


•&. T% Ž•,, •' 'ahlaan bik

-%# = 6. #% M

-%# = 6. #% # 89(C%#


@. 4% M

* (y. 4%
q. B="+
q (&B% #
q " 4%B=
q "&+6; 6(B(
q6#7. T%
%o" ' .#% #



)(#+

()\$*#)*+,7,8"&.4)%.)09: ";
•4T.#% #



|Y="B.

S.' C(4(C%((

)(#+